L Number	Hits	Search Text	DB	Time stamp
1	43	("6085029" or "6163858" or "6226787" or "6378124" or "6412106" or "6542844" or "5437027" or "5613098" or "5781776" or "6003143" or "6167535" or "6216237" or "6263491" or "6330670" or "6463578" or "5129082" or "5197005" or "5561763" or "5854924" or "5974418" or "6108659").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 11:38
-	18504437	@ad<=19991119 or @rlad<=19991119	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 10:32
-	60	((mak$4 adj3 copy) or spar$4 or preserv$4 or (back$4 adj up)) adj3 ((program or memory or database) adj2 state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 18:59
-	5	649310.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:00
-	1863	(Joshi).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:02
-	3	((Joshi).in.) and debug$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:03
-	3765	(database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:11
-	113	(dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:12
-	19	(software adj4 patch$4) and (link$4 near5 patch$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:17
-	118	((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1))) or ((software adj4 patch$4) and (link$4 near5 patch$4)) and ((repository or database or storage) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:38
-	47	(((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1))) or ((software adj4 patch$4) and (link$4 near5 patch$4))) and ((repository or database or storage) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:19
-	4	(((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) and ((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:31

-	5763	(persisten$3 same (objects or repository or database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:20
-	11	5999734.URPN.	USPAT	2003/06/21 19:23
-	47	((database or data or objects) near8 coherenc$3) and (upgrad$4 or patch$4) and ((persisten$3 same (objects or repository or database)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:30
-	23	(((database or data or objects) near8 coherenc$3) and (upgrad$4 or patch$4) and ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	253	((link$4 or bind$4) adj4 ((upgrade or patch or new) ajd3 (code or program))) same ((original or copy) near3 (program or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:46
-	6108	(((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	12	(debug$4 or upgrad$4).ab. and ((modific$4 or chang$4) same (synchroni$5 or persisten$4)) and (dynamic$4 near7 (link$4 or bind$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:55
-	64	(test$4 or simulation or persisten$4).ab. and ((modific$4 or chang$4) same (synchroni$5 or persisten$4)) and (dynamic$4 near7 (link$4 or bind$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	60	(((debug$4 or upgrad$4).ab. and ((modific$4 or chang$4) same (synchroni$5 or persisten$4)) and (dynamic$4 near7 (link$4 or bind$4))) or ((test$4 or simulation or persisten$4).ab. and ((modific$4 or chang$4) same (synchroni$5 or persisten$4)) and (dynamic$4 near7 (link$4 or bind$4)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 19:56
-	1337	(persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:33
-	87	(link$4 same editor) and (open same access$3) and (handle same process$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	21	((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:36
-	6108	(((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:37

-	837	((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:40
-	614	((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:38
-	60539	((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:40
-	20	(((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:27
-	1209	((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:31

| - | | 18 | ((((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database))))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119))) or ((((((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) and ((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119)))) and (dynamic$5 same link$4) and (debug$4 or edit$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/22 15:38 |

C:\APPS\EAST\Workspaces\09717187.wsp

| - | | 54 | ((((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119))) or ((((((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) and ((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119)))) and (@ad<=19991119 or @rlad<=19991119) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/22 15:39 |

| | | 18 | (((((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119))) or ((((((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))) and (((appl$4 or insert$4 or mak$3 or effect$4) adj3 (modification or upgrad$4 or changes or edit$4 or deletion$1)) near6 (copy or clone$1 or spare or copies))) and ((((((database same (modifi$5 or updat$4)) and (state near5 (preserv$5 or cop$5 or stor$4 or back$4))) or ((persisten$3 same (objects or repository or database)))) and (@ad<=19991119 or @rlad<=19991119)) and (((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and (@ad<=19991119 or @rlad<=19991119))) and (((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1))))) not ((((persisten$3 same (database or repository or storage or file$1)) and (debug$4 or test$4 or modification or upgrad$4) and ((multiple or multi) adj3 (user$1 or developer$1 or client$1 or operator$1 or author$3))) and ((link$4 same editor) and (open same access$3) and (handle same process$4))) and (@ad<=19991119 or @rlad<=19991119)))) and (dynamic$5 same link$4) and (debug$4 or edit$4)) and (@ad<=19991119 or @rlad<=19991119) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/06/22 18:18 |

-	15	(merg$4 or integrat$4 or bind$4) near5 ((original same modified) near5 (copies or copy or instance$1 or code or file$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:51
-	15	(merg$4 or integrat$4 or bind$4) near5 ((original same (modified or upgraded)) near5 (copies or copy or instance$1 or code or file$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:51
-	14	((merg$4 or integrat$4 or bind$4) near5 ((original same (modified or upgraded)) near5 (copies or copy or instance$1 or code or file$1))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:44
-	1	5950198.URPN. and ((dynamic$5 or runtime) same (compil$4 or link$4 or bind$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:46
-	2	(4558413.URPN. and (((dynamic$5 adj3 (link$4 and execut$4)) and (modifi$4 near5 (code or program or instruction$1 or file$1))) or ((upgrad$4 or modification$1 or patch$4) and (link$4 or bind$4)) and ((repository or database or storage) near3 (program or code or file$1 or processes or data or object$1 or table$1)))) and ((patch$4 or merg$4 or link$4 or synchroni$5) near5 (original adj8 (program or code or file or module or application)))	USPAT	2003/06/22 17:36
-	15	("4321070" | "4463423" | "4558413" | "4853843" | "4912637" | "4916610" | "4965724" | "5084815" | "5107423" | "5142681" | "5261103" | "5287548" | "5339431" | "5359539" | "5367684").PN.	USPAT	2003/06/22 17:26
-	4	(dynamic$5 near5 (bind$4 or merg$4 or link$4)) same ((original or source or old) near8 ((upgrad$4 or patch$3 or delta or update) adj4 (code or program or application or file or module$1)))	USPAT	2003/06/22 17:53
-	1	(((run or execution) adj time) near4 (bind$4 or merg$4 or link$4 or integrat$4)) same ((original or source or old) near8 ((upgrad$4 or patch$3 or delta or update) adj4 (code or program or application or file or module$1)))	USPAT	2003/06/22 18:14
-	58	(database near8 debug$4) and ((replica$1 or copy or copies) same (modif$6 or updat$ or upgrad$4 or edit$4)) and (merg$4 or synchroni$4 or integrat$4)	USPAT	2003/06/22 18:33
-	27	((database near8 debug$4) and ((replica$1 or copy or copies) same (modif$6 or updat$ or upgrad$4 or edit$4)) and (merg$4 or synchroni$4 or integrat$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))	USPAT	2003/06/22 18:18
-	7	((((database near8 debug$4) and ((replica$1 or copy or copies) same (modif$6 or updat$ or upgrad$4 or edit$4)) and (merg$4 or synchroni$4 or integrat$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))) and (@ad<=19991119 or @rlad<=19991119)) and ((dynamic$4 or ((run or execution) adj2 time)) near4 (bind$4 or merg$4 or integrat$4 or link$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 18:21

–	27	(((database near8 debug$4) and ((replica$1 or copy or copies) same (modif$6 or updat$ or upgrad$4 or edit$4)) and (merg$4 or synchroni$4 or integrat$4)) and ((multiple or multi) adj3(operators or authors or clients or users or instances))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:17
–	13	(((symbolic adj2 (link or reference)) or pointer$1) near5 ((upgraded or modified or patched) adj2 (area$1 or portion$1 or block$1 or section$1))) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:35
–	13	((((symbolic adj2 (link or reference)) or pointer$1) near5 ((upgraded or modified or patched) adj2 (area$1 or portion$1 or block$1 or section$1))) and debug$4) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:37
–	4	((refer$4 or point$4) adj2 user$1) near4 ((marked or modified or upgraded) same (version$1 or copies or portions or code or section$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:45
–	3	6249793.URPN.	USPAT	2003/06/22 19:43
–	2	6249793.URPN. and (debug$4 or test$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:47
–	1	(publish$4 near4 (updated or upgraded or latest) adj3 (version or software)) same (pointer or link$1 or hyperlink$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:49
–	2	(publish$4 near4 ((updated or upgraded or latest) adj3 (version or software))) same (pointer or link$1 or hyperlink$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 19:49
–	6146	((717/124-129,168-172) or (707/8,10,20,205) or (700/200) or (349/110)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:19
–	30831	(modif$5 near7 (version or copy))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:49

C:\APPS\EAST\Workspaces\09717187.wsp

–	19	((modif$5 near7 (version or copy))) and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:42
–	18	(((modif$5 near7 (version or copy))) and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
–	136	((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:06
–	101	(((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
–	101	((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:45
–	7	(((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119))) and ((thread or child or fork) same ((make or modif$5) near6 (copy or version)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:46

–		10	("4369983" | "4649473" | "4688170" | "4787028" | "5093916" | "5175828" | "5182750" | "5182751" | "5185742" | "5212787").PN.	USPAT	2003/11/28 11:55
–		63	((make) near7 (copy or version)) and (modif$5 adj3 (copy or version)) and (((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 11:57
–		8	(((make) near7 (copy or version)) and (modif$5 adj3 (copy or version)) and (((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119)))) and (without near3 (exit$4 or break$4 or interrupt$4 or stop$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:12
–		5	((((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119))) and ((thread or child or fork) same ((make or modif$5) near6 (copy or version)))) and (debug$4 or test or diagnos$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 12:08
–		8	(((modif$5 near7 (version or copy))) and ((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and (@ad<=19991119 or @rlad<=19991119))) and (debug$4 or test or diagnos$7).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 12:08
–		8	((make or modif$6) near7 (copy or version)) and dynamic$5 and (debug$5 or updat$4 or test$4 or diagnost$5 or validat$4).ab. and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:09

-		4	((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child or (without adj3 (interrrupting or exit$4))) and (debug$5 or updat$4 or test$4 or diagnost$5 or validat$4).ab. and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:29
-		3	debug$5.ti. and (make near4 copy) and (modif$3 near4 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
-		0	(debug$5.ti. and (make near4 copy) and (modif$3 near4 copy)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:39
-		8	(debug$4 or test or diagnos$7).ti. and (make near4 copy) and (modif$3 near4 copy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:33
-		5	((debug$4 or test or diagnos$7).ti. and (make near4 copy) and (modif$3 near4 copy)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:31
-		5	(debug$4 or test or diagnos$7).ti. and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48

C:\APPS\EAST\Workspaces\09717187.wsp

—		48	(((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and ((make and modif$5) near3 (copy or version or image)) and 707/$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:55
—		40	((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and ((make and modif$5) near3 (copy or version or image)) and 707/$) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:39
—		0	(debug$4 or test or diagnos$7 or validat$$ or patch).ti. and (((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and ((make and modif$5) near3 (copy or version or image)) and 707/$) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48
—		2	(debug$4 or test or diagnos$7 or validat$$ or patch).ab. and (((((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and ((make and modif$5) near3 (copy or version or image)) and 707/$) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 13:48
—		9	((make and modif$5) near3 (copy or version or image)) and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:08
—		38	((make near5 copy) and debug$4.ab.) or ((make near5 copy) and debug$4.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:11
—		26	((generat$4 near5 copy) and debug$4.ab.) or ((generat$4 near5 copy) and debug$4.ti.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
—		56	(((make near5 copy) and debug$4.ab.) or ((make near5 copy) and debug$4.ti.)) or (((generat$4 near5 copy) and debug$4.ab.) or ((generat$4 near5 copy) and debug$4.ti.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12

C:\APPS\EAST\Workspaces\09717187.wsp

-	37	(((make near5 copy) and debug$4.ab.) or ((make near5 copy) and debug$4.ti.)) or (((generat$4 near5 copy) and debug$4.ab.) or ((generat$4 near5 copy) and debug$4.ti.))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:16
-	8	(((make near5 copy) and debug$4.ab.) or ((make near5 copy) and debug$4.ti.)) and (((generat$4 near5 copy) and debug$4.ab.) or ((generat$4 near5 copy) and debug$4.ti.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 14:12
-	5	((((make near5 copy) and debug$4.ab.) or ((make near5 copy) and debug$4.ti.)) and (((generat$4 near5 copy) and debug$4.ab.) or ((generat$4 near5 copy) and debug$4.ti.))) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-	12	(modif$5 near7 (version or copy)) and ((make or generat$4) near4 copy) and ((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$ or US-6341291-$ or US-5729744-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:44
-	126	patch$4.ab. and (modif$5 near5 (copy or duplicate or shadow or image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:12
-	0	(patch$4.ab. and (modif$5 near5 (copy or duplicate or shadow or image))) and (@ad<=19991119 or @rlad<=19991119) and debug$4 and (without near3 (exit$4 or break$4 or interrupt$4 or stop$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:13
-	5	(patch$4.ab. and (modif$5 near5 (copy or duplicate or shadow or image))) and (@ad<=19991119 or @rlad<=19991119) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:27
-	40	((dynamic or non-intrusive or non-interactive) near4 ((merg$4 or debug$5))) and ((duplica or copy or replica) near5 modif$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:29
-	26	(((dynamic or non-intrusive or non-interactive) near4 ((merg$4 or debug$5))) and ((duplica or copy or replica) near5 modif$6)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:32

C:\APPS\EAST\Workspaces\09717187.wsp

		17	(((make and modif$6) near7 (copy or version)) and (concurrent or thread or fork or child) and ((debug$5 or updat$4 or test$4).as. or 717/$ or 714/$)) and ((((dynamic or non-intrusive or non-interactive) near4 ((merg$4 or debug$5))) and ((duplica or copy or replica) near5 modif$6)) and (@ad<=19991119 or @rlad<=19991119))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:23
—		7	((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$ or US-6341291-$ or US-5729744-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.) and debug$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:43
—		3	((modif$5 near7 (version or copy)) or ((make or generat$4) near4 (replica or shadow or copy))) and (((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$ or US-6341291-$ or US-5729744-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.) and debug$5.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 15:47

-		1	((US-6249793-$ or US-6029178-$ or US-5561763-$ or US-6314408-$ or US-6154215-$ or US-5999734-$ or US-5829022-$ or US-6457170-$ or US-6067641-$ or US-5848274-$ or US-5764989-$ or US-5421012-$ or US-6374268-$ or US-6397125-$ or US-5950198-$ or US-5946700-$ or US-5946689-$ or US-6487560-$ or US-6349407-$ or US-6236993-$ or US-5862364-$ or US-5481722-$ or US-5901315-$ or US-6490721-$ or US-6112025-$ or US-5603024-$).did. or (US-5440735-$ or US-6557089-$ or US-5586310-$ or US-6442748-$ or US-6134559-$ or US-5828885-$ or US-5522079-$ or US-4853843-$ or US-4558413-$ or US-5884033-$ or US-5675803-$ or US-5339430-$ or US-5303379-$ or US-6401220-$ or US-6341291-$ or US-5729744-$).did. or (US-20030004952-$ or US-20010034822-$ or US-20010039594-$).did.) and Accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:10
-		136	((team or group developer) adj3 debug$5) and (merg$4 or synchroni$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-		99	(((team or group developer) adj3 debug$5) and (merg$4 or synchroni$5)) and (@ad<=19991119 or @rlad<=19991119)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-		4	((((team or group developer) adj3 debug$5) and (merg$4 or synchroni$5)) and (@ad<=19991119 or @rlad<=19991119)) and accenture.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 16:24
-		7	((((team or group developer) adj3 debug$5) and (merg$4 or synchroni$5)) and (@ad<=19991119 or @rlad<=19991119) not ((((((team or group developer) adj3 debug$5) and (merg$4 or synchroni$5)) and (@ad<=19991119 or @rlad<=19991119)) and accenture.as.) and (modif$6 adj5 (copy or replica or image or shadow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:13
-		2	(valid$6 or test or debug$5).ab. and (merg$5 same (copy and original)) and (program adj state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:18
-		6	(synchroni$5 near5 (code adj3 (change or modification or updat$4))) and ((modif$5 near7 (version or copy)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/28 17:20